

Liste des champignons frais exposés au Salon 2024 (*)

Abortiporus biennis (Bull.) Singer, 1944
Agaricus arvensis Schaeff., 1774
Agaricus bisporus (J.E.Lange) Imbach, 1946
Agaricus bresadolanus Bohus, 1969
Agaricus moelleri Wasser, 1976
Agaricus porphyrizon P.D.Orton, 1960
Agaricus silvicola (Vittad.) Peck, 1872
Agaricus sylvaticus Schaeff., 1774
Amanita caesarea (Scop.) Pers., 1801
Amanita citrina Pers., 1797
Amanita echinocephala (Vittad.) Quel., 1872
Amanita excelsa (Fr.) Bertill., 1866
Amanita gracilior Bas & Honrubia, 1982
Amanita junquillea Quel., 1877
Amanita lividopallescens (Gillet) Bigeard & H.Guill., 1913
Amanita muscaria (L.) Lam., 1783
Amanita ovoidea (Bull.) Link, 1833
Amanita phalloides (Vaill. ex Fr.) Link, 1833
Amanita proxima Dumeé, 1916
Amanita rubescens Pers., 1797
Amanita vaginata (Bull.) Lam., 1783
Amanita vaginata f. alba (Bull.) Vesely
Amanita vittadinii (Moretti) Vittad., 1826
Armillaria mellea (Vahl) P.Kumm., 1871
Armillaria ostoyae (Romagn.) Herink, 1973
Astraeus hygrometricus (Pers.) Morgan, 1889
Auricularia auricula-judae (Bull.) Quel., 1886
Auricularia mesenterica (Dicks.) Pers., 1822
Battarraea phalloides (Dicks.) Pers.
Boletus aereus Bull., 1789
Boletus edulis Bull., 1782
Boletus pinophilus Pilat & Dermek, 1973
Buchwaldoboletus sphaerocephalus (Barla) Watling & T.H.Li, 2004
Butyriboletus subappendiculatus (Dermek, Lazebn. & J.Veselsky) D.Arora & J.L.Frank, 2014
Calocera viscosa (Pers.) Fr., 1821
Calvatia excipuliformis (Scop.) Perdeck, 1950
Calvatia utriformis (Bull.) Jaap, 1918
Cantharellus alborufescens (Malencon) Papetti & S.Alberti, 1999
Cantharellus cibarius Fr., 1821
Cantharellus tubiformis (Fr.) Fr., sensu Cooke, non Fr.
Chalciporus piperatus (Bull.) Bataille, 1908
Clathrus ruber P.Micheli ex Pers., 1801
Clavulina rugosa (Bull.) J.Schrot., 1888
Clitocybe applanata (Fr.) M.M.Moser ex Bon & Courtec., 1987
Clitocybe dealbata (Sowerby) P.Kumm., 1871
Clitocybe fragrans (With.) P.Kumm., 1871
Clitocybe geotropa (Bull.) Quel., 1872
Clitocybe nebularis (Batsch) P.Kumm., 1871
Clitocybe odora (Bull.) P.Kumm., 1871

Clitocybe phyllophila (Pers.) P.Kumm., 1871
Clitocybe pseudosquamulosa Singer ex Bon, 1996
Clitopilus geminus (Paulet) Noordel. & Co-David, 2009
Clitopilus prunulus (Scop.) P.Kumm., 1871
Collybia brassicolens (Romagn.) Bon, 1998
Collybia dryophila (Bull.) P.Kumm., 1871
Collybia fusipes (Bull.) Quel., 1872
Coprinopsis melanthina (Fr.) Orstadius & E.Larss., 2015
Coprinopsis romagnesiana (Singer) Redhead, Vilgalys & Moncalvo, 2001
Coprinus comatus (O.F.Mull.) Pers., 1797
Cortinarius aprinus Melot, 1989
Cortinarius araneosolvatus (Bon & Gaugue) Melot, 1989
Cortinarius aurilicis Chevassut & Trescol, 1986
Cortinarius caesiocortinatus Jul.Schaff., 1951
Cortinarius caligatus Malencon, 1970
Cortinarius catharinae Consiglio, 1997
Cortinarius dryosalor Armada, Bidaud, Bellanger & Loizides, 2022
Cortinarius infractus (Pers.) Fr., 1838
Cortinarius leproleptopus Chevassut & Rob.Henry, 1988
Cortinarius purpureus (Bull.) Bidaud, Moenne-Locc. & Reumaux, 1994
Cortinarius semisanguineus (Fr.) Gillet, 1876
Cortinarius subcotoneipes Rob.Henry, 1988
Cortinarius subionochlorus Rob.Henry, 1952
Cortinarius variebulbus Chevassut & Rob.Henry, 1982
Craterellus cornucopioides (L.) Pers., 1825
Craterellus lutescens (Fr.) Fr., 1838
Crucibulum laeve (Huds.) Kambly, 1936
Cyanoboletus pulverulentus (Opat.) Gelardi, Vizzini & Simonini, 2014
Cyclocybe cylindracea (DC.) Vizzini & Angelini, 2014
Cystoderma amianthinum (Scop.) Fayod, 1889
Cystoderma carcharias (Pers.) Fayod, 1889
Echinoderma asperum (Pers.) Bon, 1991
Entoloma incanum (Fr.) Hesler, 1967
Entoloma undatum (Gillet) M.M.Moser, 1978
Fistulina hepatica (Schaeff.) With., 1801
Fomes fomentarius (L.) Fr., 1849
Fomitopsis pinicola (Sw.) P.Karst., 1881
Fuscoporia torulosa (Pers.) T.Wagner & M.Fisch., 2001
Galerina autumnalis (Peck) A.H.Sm. & Singer, 1964
Ganoderma lucidum (Curtis) P.Karst., 1881
Geastrum saccatum Fr., 1829
Geastrum sessile Pouzar, 1971
Geastrum triplex Jungh., 1840
Gomphidius glutinosus (Schaeff.) Fr., 1838
Gymnopilus junonius (Fr.) P.D.Orton, 1960
Gyroporus castaneus (Bull.) Quel., 1886
Gyroporus cyanescens (Bull.) Quel., 1886
Hebeloma radicosum (Bull.) Ricken, 1911
Hebeloma sinapizans (Paulet) Gillet, 1876
Hexagonia nitida Durieu & Mont., 1856

Hohenbuehelia geogenia (DC.) Singer, 1951
Hortiboletus rubellus (Krombh.) Simonini, Vizzini & Gelardi, 2015
Hydnum repandum L., 1753
Hygrocybe chlorophana (Fr.) Wunsche, 1877
Hygrophoropsis aurantiaca (Wulfen) Maire., 1921
Hygrophorus agathosmus (Fr.) Fr., 1838
Hygrophorus cossus (Sowerby) Fr., 1838
Hygrophorus eburneus (Bull.) Fr., 1838
Hygrophorus roseodiscoideus Bon & Chevassut, 1985
Hymenopellis radicata (Relhan) R.H.Petersen, 2010
Hypholoma capnoides (Fr.) P.Kumm., 1871
Hypholoma fasciculare (Huds.) P.Kumm., 1871
Hypholoma lateritium (Schaeff.) P.Kumm., 1871
Imleria badia (Fr.) Vizzini, 2014
Infundibulicybe gibba (Pers.) Harmaja, 2003
Inocybe bongardii (Weinm.) Quel., 1872
Inocybe cerina (Malencon) Bon, 1996
Inocybe dulcamara (Pers.) P.Kumm., 1871
Inocybe fastigiata (Schaeff.) Quel., 1872
Inocybe geophylla (Bull.) P.Kumm., 1871
Inocybe geophylla var. lilacina (Peck) Gillet, 1876
Inocybe godeyi Gillet, 1874
Inocybe maculata Boud., 1885
Inocybe piriodora (Pers.) Kumm.
Inocybe pusio P.Karst., 1889
Laccaria amethystina Cooke, 1884
Laccaria laccata (Scop.) Cooke, 1884
Laccaria proxima (Boud.) Pat., 1887
Lacrymaria lacrymabunda (Bull.) Pat., 1887
Lactarius atlanticus Bon, 1975
Lactarius aurantiacus (Pers.) Gray, 1821
Lactarius azonites (Bull.) Fr., 1838
Lactarius blennius (Fr.) Fr., 1838
Lactarius chrysorrheus Fr., 1838
Lactarius deterrimus Groger, 1968
Lactarius fuliginosus (Fr.) Fr., 1838
Lactarius ilicis Sarnari, 1993
Lactarius pyrogalus (Bull.) Fr., 1838
Lactarius quietus (Fr.) Fr., 1838
Lactarius rufus (Scop.) Fr., 1838
Lactarius sanguifluus Fr., 1838
Lactarius vinosus (Quel.) Bataille, 1908
Lactarius zonarius (Bull.) Fr., 1838
Lactifluus vellereus (Fr.) Kuntze, 1891
Leotia lubrica (Scop.) Pers., 1794
Lepiota alba (Bres.) Sacc., 1887
Lepiota brunneoincarnata Chodat & C.Martin, 1889
Lepiota griseovirens Maire, 1928
Lepiota kuehneriana Locq., 1956
Lepista flaccida (Sowerby) Pat., 1887

Lepista inversa (Scop.) Pat., 1887
Lepista nuda (Bull.) Cooke, 1871
Leucoagaricus idae-fragum Guinb., Boisselet & G.Dupuy, 1998
Leucopaxillus amarus (Alb. & Schwein.) Kuhner, 1928
Leucopaxillus paradoxus (Costantin & L.M.Dufour) Boursier, 1925
Limacella furnacea (Letell.) E.-J.Gilbert, 1928
Lycoperdon perlatum Pers., 1796
Lyophyllum infumatum (Bres.) Kuhner, 1938
Lyophyllum transforme (Sacc.) Singer, 1943
Macrolepiota excoriata (Schaeff.) Wasser, 1978
Macrolepiota mastoidea (Fr.) Singer, 1951
Macrolepiota procera (Scop.) Singer, 1948
Marasmiellus candidus (Fr.) Singer, 1948
Marasmiellus ramealis (Bull.) Singer, 1948
Marasmius oreades (Bolton) Fr., 1836
Montagnea radiosa (Pall.) Sebek, 1954
Mucidula mucida (Schrad.) Pat., 1887
Mycena epipterygia (Scop.) Gray, 1821
Mycena maculata P.Karst., 1890
Mycena olivaceomarginata (Masse) Masee, 1893
Mycena pura (Pers.) P.Kumm., 1871
Mycena rosea Gramberg, 1912
Mycena rosella (Fr.) P.Kumm., 1871
Neoboletus erythropus (Pers.) C.Hahn, 2015
Omphalotus olearius (DC.) Singer, 1948
Peniophora lycii (Pers.) Hohn. & Litsch., 1907
Phellinus erectus A.David, Dequatre & Fiasson, 1982
Pholiota adiposa (Batsch) P.Kumm., 1871
Pholiota lenta (Pers.) Singer, 1951
Piptoporus betulinus (Bull.) P.Karst., 1881
Pisolithus arhizus (Scop.) Rauschert, 1959
Pleurotus ostreatus (Jacq.) P.Kumm., 1871
Pluteus cervinus (Schaeff.) P.Kumm., 1871
Polyporus picipes Fr., 1838
Postia ptychogaster (F.Ludw.) Vesterh., 1996
Psathyrella ammophila (Durieu & Lev.) P.D.Orton, 1960
Psathyrella candolleana (Fr.) Maire, 1937
Pseudoclitocybe cyathiformis (Bull.) Singer, 1956
Pseudohydnum gelatinosum (Scop.) P.Karst., 1868
Puccinia malvacearum Bertero ex Mont., 1852
Ramaria apiculata (Fr.) Donk, 1933
Ramaria flava (Schaeff.) Quel., 1888
Rhodocollybia asema (Fr.) Bendiksen & Dima, 2021
Rhodocollybia butyracea (Bull.) Lennox, 1979
Ripartites metrodii Huijsman, 1960
Russula badia Quel., 1881
Russula chloroides (Krombh.) Bres., 1900
Russula cyanoxantha (Schaeff.) Fr., 1863
Russula fellea (Fr.) Fr., 1838
Russula ilicis Romagn., Chevassut & Privat, 1972

Russula insignis Quel., 1888
Russula integra (L.) Fr., 1838
Russula lepida Fr., 1836
Russula maculata Quel., 1878
Russula mairei Singer, 1929
Russula mustelina Fr., 1838
Russula nigricans Fr., 1838
Russula ochroleuca Pers.
Russula sanguinaria (Schumach.) Rauschert, 1989
Russula sardonia Fr., 1838
Russula torulosa Bres., 1929
Russula turci Bres., 1882
Russula xerampelina (Schaeff.) Fr., 1838
Scleroderma areolatum Ehrenb., 1818
Scleroderma citrinum Pers., 1801
Scleroderma geaster Fr., 1829
Sparassis crispa (Wulfen) Fr., 1821
Stereum hirsutum (Willd.) Pers., 1800
Stropharia caerulea Kreisel, 1979
Stropharia coronilla (Bull.) Quel., 1872
Suillellus luridus (Schaeff.) Murrill, 1909
Suillus bovinus (L.) Roussel, 1796
Suillus collinitus (Fr.) Kuntze, 1898
Suillus mediterraneensis (Jacquet. & J.Blum) Redeuilh, 1992
Tremella aurantia Schwein., 1822
Tremella mesenterica Retz., 1769
Tricholoma acerbum (Bull.) Quel., 1872
Tricholoma batschii Gulden ex Mort.Chr. & Noordel., 1999
Tricholoma columbetta (Fr.) P.Kumm., 1871
Tricholoma equestre (L.) P.Kumm., 1871
Tricholoma fulvum (Retz.) Costantin & L.M. Dufour, 1891
Tricholoma portentosum (Fr.) Quel., 1873
Tricholoma saponaceum (Fr.) P.Kumm., 1871
Tricholoma scalpturatum (Fr.) Quel., 1872
Tricholoma sciodes (Pers.) C.Martin, 1919
Tricholoma sejunctum (Sowerby) Quel., 1872
Tricholoma squarrulosum Bres., 1898
Tricholoma ustale (Fr.) P.Kumm., 1871
Tricholoma virgatum (Fr.) P.Kumm., 1871
Tricholomopsis rutilans (Schaeff.) Singer, 1939
Urosporellina mitis (Pers.) E.Horak, 1968
Volvopluteus gloiocephalus (DC.) Vizzini, Contu & Justo, 2011
Xerocomellus chrysenteron (Bull.) Sutara, 2008
Xerocomus ferrugineus (Schaeff.) Alessio, 1985
Xerula pudens (Pers.) Singer, 1951

* Nom "valide" issu de TAXREF V17